

Claims

- [c1] A form panel for placing concrete made of plastic comprising a hollow sheathing section, one side of which forms a concrete placing surface, and hollow side panel sections bent out at right angles from both side edges of said sheathing section on an opposite side of said sheathing section to said concrete placing surface, wherein at least one projecting section which extends in a vertical direction is provided on an outside surface of at least one of said side panel sections, and one of the sides of one of said projecting sections is coplanar with said concrete placing surface of said sheathing section.
- [c2] A form panel for placing concrete according to claim 1, wherein there is more than one of said projecting sections.
- [c3] A form panel for placing concrete according to claim 1, wherein two projecting sections which extend in a vertical direction are provided on an outside surface of at least one of said side panel sections, one of the sides of one of said projecting sections is coplanar with said concrete placing surface of said

sheathing section, and the side of the other projecting section which faces said first projecting section is inclined.

- [c4] A form panel for placing concrete according to claim 1, wherein said sheathing section and said side panel section are formed by integrating two panels and a plurality of long reinforcing ribs connecting these panels.
- [c5] A form panel for placing concrete according to claim 4, wherein a diagonal rib which is diagonal relative to said concrete placing surface is formed within said projecting section, and in contact with an inside of a corner section on said concrete placing surface side.
- [c6] A form panel for placing concrete according to claim 1, wherein said projecting sections are made of a soft resin or a semi hard resin.
- [c7] A form panel for placing concrete according to claim 1, wherein notches which are orthogonal to the longitudinal direction of said projecting sections are formed in the same position in each of said projecting sections.
- [c8] A form panel for placing concrete according to claim 1, wherein a hollow reinforcing panel section which is parallel to said side panel section is provided on a rear surface of said concrete placing surface of said sheathing

section.

- [c9] A form panel for placing concrete according to claim 1, wherein said sheathing section is transparent or semi-transparent.